



KIT DRAINAGE PLURY
back pressure
MAX 15 BAR

PLURY	W2 60.0 TONS 8.0 - 14.0	W2 60.0 TONS 8.0 - 14.0	W2 60.0 TONS 8.0 - 14.0	W2 80.0 TONS 10.0 - 16.0	W2 80.0 TONS 10.0 - 16.0	W2 80.0 TONS 10.0 - 16.0	W2 100.0 TONS 12.0 - 20.0	W2 100.0 TONS 12.0 - 20.0	W2 100.0 TONS 12.0 - 20.0
A (mm)	970	970	970	970	970	970	1030	1030	1030
B (mm)	650	650	650	650	650	650	735	735	735
C (mm)	330	330	330	330	330	330	395	395	395
D (mm)	490	490	490	490	490	490	560	560	560
Weight (Kg)	353	353	353	362	362	362	525	525	525
Engine (CC)	32	43	47	32	43	51	43	47	51
Hydraulic Fluid Flow Rate (L/Min)	69	93	101	69	93	101	93	100	110
Pressure (BAR)	150/220	150/220	150/220	150/220	150/220	150/220	150/220	150/220	150/220
Vibration Rate (RPM)	2.133	2.148	2.143	2.133	2.148	2.143	2.143	2.149	2.157
Centrifugal force (Kn)	60	60	60	80	80	80	100	100	100
Hertz	36	36	36	36	36	36	36	36	36
Back press. Max. (BAR)	15	15	15	15	15	15	15	15	15

PLURY	W2 120.0 TONS 14.0 - 25.0	W2 120.0 TONS 14.0 - 25.0	W2 120.0 TONS 14.0 - 25.0	W2 150.0 TONS 18.0 - 35.0	W2 180.0 TONS 20.0 - 40.0
A (mm)	1030	1030	1030	1220	1220
B (mm)	735	735	735	920	920
C (mm)	395	395	395	440	440
D (mm)	560	560	560	710	710
Weight (Kg)	533	533	533	827	837
Engine (CC)	43	47	51	63	63
Hydraulic Fluid Flow Rate (L/Min)	93	101	110	135	135
Pressure (BAR)	150/220	150/220	150/220	150/220	150/220
Vibration Rate (RPM)	2.143	2.149	2.157	2.143	2.143
Centrifugal force (Kn)	120	120	120	150	180
Hertz	36	36	36	36	36
Back press. Max. (BAR)	15	15	15	15	15